Author Index

Aleo, M.F., see Monti, E. (1124) 80
Allan, D., see Quinn, P. (1124) 95
Anderson, W.B., see Kiss, Z. (1124) 300
Arnold, K., Hoekstra, D. and Ohki, S.
Association of lysozyme to phospholipid surfaces and vesicle fusion (1124) 88

Baer, D., see Lanza-Jacoby, S. (1124) 233
Banfi, C., see Calabresi, L. (1124) 195
Barrow, S.E., see Hampson, A.J. (1124) 143
Barrowman, J.A., see Herzberg, G.R. (1124) 190
Barter, P.I., see Clay, M.A. (1124) 52
Bindra, A. and Khuller, G.K.
Correlation between intracellular cAMP levels and phospholipids of *Microsporum gypseum* (1124) 185
Blank, M.L., Smith, Z.L. and Snyder, F.
Contributing factors in the trafficking of [^{3}H]arachidonate between phospholipids (1124) 262
Bourre, J.-M.E., Dumont, O.S., Piciotti, M.J., Pascal, G.A. and Durand, G.A.
Dietary α-linolenic acid deficiency in adult rats for 7 months does not alter brain docosahexaenoic acid content, in contrast to liver, heart and testes (1124) 119
Brodowsky, I.D. and Oliw, E.H.
Metabolism of 18:2($n-6$), 18:3($n-3$), 20:4($n-6$) and 20:5($n-3$) by the fungus *Gaeumannomyces graminis*: identification of metabolites formed by 8-hydroxylation and by w2 and w3 oxygenation (1124) 59
Byers, D.M., see Sidhu, H.S. (1124) 29

Cabré, F., García, A.M., Carabaza, A., Mauleón, D. and Carganico, G.
Differential hydrolysis of 1-alkyl-2-acyl and diacylglycerophosphocholines by human and non-human phospholipases A_2 (1124) 297
Calabresi, L., Banfi, C., Sirtori, C.R. and Franceschini, G.
Apolipoprotein A-II modulates HDL remodeling in plasma (1124) 195
Carabaza, A., see Cabré, F. (1124) 297
Carganico, G., see Cabré, F. (1124) 297
Chernenko, G.A., see Herzberg, G.R. (1124) 190
Choy, P.C., see McMaster, C.R. (1124) 13
Clay, M.A., Newnham, H.H., Forte, T.M. and Barter, P.I.
Cholesteryl ester transfer protein and hepatic lipase activity promote shedding of apo A-I from HDL and subsequent formation of discoidal HDL (1124) 52
Clemente, M.L., see Monti, E. (1124) 80
Cook, H.W., see Sidhu, H.S. (1124) 29
Crilly, K.S., see Kiss, Z. (1124) 300

De Haas, G.H., see Van den Berg, L. (1124) 66
Demel, R.A., Van Doorn, J.M. and Van der Horst, D.J.
Insect apolipophorin III: interaction of locust apolipophorin III with diacylglycerol (1124) 151
Denis, S., see Wanders, R.J.A. (1124) 199
Dijkman, R., see Van den Berg, L. (1124) 66
Dillon, J.-C., see Hermier, D. (1124) 178
Dumont, O.S., see Bourre, J.-M.E. (1124) 119
Durand, G.A., see Bourre, J.-M.E. (1124) 119
Durst, F., see Weissbart, D. (1124) 135

Egge, H., see Manca, M.C. (1124) 249
Erdmann, H., see Sztajer, H. (1124) 253

Forte, T.M., see Clay, M.A. (1124) 52
Franceschini, G., see Calabresi, L. (1124) 195
Franken, P.A., see Van den Berg, L. (1124) 66
Funahashi, T., see Shimomura, I. (1124) 112

Gambacorta, A., see Manca, M.C. (1124) 249
García, A.M., see Cabré, F. (1124) 297
Gjellesvik, D.R., Lombardo, D. and Walther, B.T.
Pancreatic bile salt dependent lipase from cod *(Gadus morhua)*: purification and properties (1124) 123
Goracci, G., see Stasi, M. (1124) 279
Greig, N.H., see Micklus, M.J. (1124) 7
Gresele, P., see Stasi, M. (1124) 279

Hampson, A.J., Rowley, A.F., Barrow, S.E. and Steadman, R.
Biosynthesis of eicosanoids by blood cells of the crab, *Carcinus maenas* (1124) 143
Hermier, D. and Dillon, J.-C.
Characterization of dietary-induced hypercholesterolemia in the chicken (1124) 178
Herzberg, G.R., Chernenko, G.A., Barrowman, J.A., Kean, K.T. and Keough, K.M.W.
Intestinal absorption of fish oil in rats previously adapted to diets containing fish oil or corn oil (1124) 190
Hirabayashi, S., see Ide, T. (1124) 163
Hoekstra, D., see Arnold, K. (1124) 88
Huang, L., see Park, Y.S. (1124) 241
Huber, R., see Manca, M.C. (1124) 249

Ide, T., Hirabayashi, S., Kano, S. and Sugano, M.
Soybean phospholipid dependent reductions in triacylglycerol concentration and synthesis in the liver of fasted-refed rats (1124) 163
Inoue, K., see Murakami, M. (1124) 17
Ishidate, K., Matsuo, R. and Nakazawa, Y.
CDP-choline: 1,2-diacylglycerol cholinephosphotransferase from rat liver microsomes. II. Photoaffinity labeling by radioactive CDP-choline analogs (1124) 36

Jakobs, C., see Wanders, R.J.A. (1124) 199
Jiao, S., see Shimomura, I. (1124) 112

Kakiuchi, T., see Kondo, T. (1124) 1
Kano, S., see Ide, T. (1124) 163
Kean, K.T., see Herzberg, G.R. (1124) 190
Keno, Y., see Shimomura, I. (1124) 112
Keough, K.M.W., see Herzberg, G.R. (1124) 190
Khuller, G.K., see Bindra, A. (1124) 185

Author Index

Aleo, M.F., see Monti, E. (1124) 80
Allan, D., see Quinn, P. (1124) 95
Anderson, W.B., see Kiss, Z. (1124) 300
Arnold, K., Hoekstra, D. and Ohki, S.
Association of lysozyme to phospholipid surfaces and vesicle fusion (1124) 88

Baer, D., see Lanza-Jacoby, S. (1124) 233
Banfi, C., see Calabresi, L. (1124) 195
Barrow, S.E., see Hampson, A.J. (1124) 143
Barrowman, J.A., see Herzberg, G.R. (1124) 190
Barter, P.I., see Clay, M.A. (1124) 52
Bindra, A. and Khuller, G.K.
Correlation between intracellular cAMP levels and phospholipids of *Microsporum gypseum* (1124) 185
Blank, M.L., Smith, Z.L. and Snyder, F.
Contributing factors in the trafficking of [^{3}H]arachidonate between phospholipids (1124) 262
Bourre, J.-M.E., Dumont, O.S., Piciotti, M.J., Pascal, G.A. and Durand, G.A.
Dietary α-linolenic acid deficiency in adult rats for 7 months does not alter brain docosahexaenoic acid content, in contrast to liver, heart and testes (1124) 119
Brodowsky, I.D. and Oliw, E.H.
Metabolism of 18:2($n-6$), 18:3($n-3$), 20:4($n-6$) and 20:5($n-3$) by the fungus *Gaeumannomyces graminis*: identification of metabolites formed by 8-hydroxylation and by w2 and w3 oxygenation (1124) 59
Byers, D.M., see Sidhu, H.S. (1124) 29

Cabré, F., García, A.M., Carabaza, A., Mauleón, D. and Carganico, G.
Differential hydrolysis of 1-alkyl-2-acyl and diacylglycerophosphocholines by human and non-human phospholipases A_2 (1124) 297
Calabresi, L., Banfi, C., Sirtori, C.R. and Franceschini, G.
Apolipoprotein A-II modulates HDL remodeling in plasma (1124) 195
Carabaza, A., see Cabré, F. (1124) 297
Carganico, G., see Cabré, F. (1124) 297
Chernenko, G.A., see Herzberg, G.R. (1124) 190
Choy, P.C., see McMaster, C.R. (1124) 13
Clay, M.A., Newnham, H.H., Forte, T.M. and Barter, P.I.
Cholesteryl ester transfer protein and hepatic lipase activity promote shedding of apo A-I from HDL and subsequent formation of discoidal HDL (1124) 52
Clemente, M.L., see Monti, E. (1124) 80
Cook, H.W., see Sidhu, H.S. (1124) 29
Crilly, K.S., see Kiss, Z. (1124) 300

De Haas, G.H., see Van den Berg, L. (1124) 66
Demel, R.A., Van Doorn, J.M. and Van der Horst, D.J.
Insect apolipophorin III: interaction of locust apolipophorin III with diacylglycerol (1124) 151
Denis, S., see Wanders, R.J.A. (1124) 199
Dijkman, R., see Van den Berg, L. (1124) 66
Dillon, J.-C., see Hermier, D. (1124) 178
Dumont, O.S., see Bourre, J.-M.E. (1124) 119
Durand, G.A., see Bourre, J.-M.E. (1124) 119
Durst, F., see Weissbart, D. (1124) 135

Egge, H., see Manca, M.C. (1124) 249
Erdmann, H., see Sztajer, H. (1124) 253

Forte, T.M., see Clay, M.A. (1124) 52
Franceschini, G., see Calabresi, L. (1124) 195
Franken, P.A., see Van den Berg, L. (1124) 66
Funahashi, T., see Shimomura, I. (1124) 112

Gambacorta, A., see Manca, M.C. (1124) 249
García, A.M., see Cabré, F. (1124) 297
Gjellesvik, D.R., Lombardo, D. and Walther, B.T.
Pancreatic bile salt dependent lipase from cod *(Gadus morhua)*: purification and properties (1124) 123
Goracci, G., see Stasi, M. (1124) 279
Greig, N.H., see Micklus, M.J. (1124) 7
Gresele, P., see Stasi, M. (1124) 279

Hampson, A.J., Rowley, A.F., Barrow, S.E. and Steadman, R.
Biosynthesis of eicosanoids by blood cells of the crab, *Carcinus maenas* (1124) 143
Hermier, D. and Dillon, J.-C.
Characterization of dietary-induced hypercholesterolemia in the chicken (1124) 178
Herzberg, G.R., Chernenko, G.A., Barrowman, J.A., Kean, K.T. and Keough, K.M.W.
Intestinal absorption of fish oil in rats previously adapted to diets containing fish oil or corn oil (1124) 190
Hirabayashi, S., see Ide, T. (1124) 163
Hoekstra, D., see Arnold, K. (1124) 88
Huang, L., see Park, Y.S. (1124) 241
Huber, R., see Manca, M.C. (1124) 249

Ide, T., Hirabayashi, S., Kano, S. and Sugano, M.
Soybean phospholipid dependent reductions in triacylglycerol concentration and synthesis in the liver of fasted-refed rats (1124) 163
Inoue, K., see Murakami, M. (1124) 17
Ishidate, K., Matsuo, R. and Nakazawa, Y.
CDP-choline: 1,2-diacylglycerol cholinephosphotransferase from rat liver microsomes. II. Photoaffinity labeling by radioactive CDP-choline analogs (1124) 36

Jakobs, C., see Wanders, R.J.A. (1124) 199
Jiao, S., see Shimomura, I. (1124) 112

Kakiuchi, T., see Kondo, T. (1124) 1
Kano, S., see Ide, T. (1124) 163
Kean, K.T., see Herzberg, G.R. (1124) 190
Keno, Y., see Shimomura, I. (1124) 112
Keough, K.M.W., see Herzberg, G.R. (1124) 190
Khuller, G.K., see Bindra, A. (1124) 185

Kiss, Z., Crilly, K.S., Rossi, M.A. and Anderson, W.B.
Selective inhibition by 4-hydroxynonenal of sphingosine-stimulated phospholipase D in NIH 3T3 cells (1124) 300
Kobatake, T., see Shimomura, I. (1124) 112
Kondo, T., Kakiuchi, T. and Senda, M.
Hydrolysis of phospholipid monolayers by phospholipase D at the oil/water interface under the control of the potential drop across the monolayer (1124) 1
Kotani, K., see Shimomura, I. (1124) 112
Kudo, I., see Murakami, M. (1124) 17
Kuksis, A.
Yolk lipids (1124) 205

Lagrost, L.
Differential effects of *cis* and *trans* fatty acid isomers, oleic and elaidic acids, on the cholesteryl ester transfer protein activity (1124) 159
Lanza-Jacoby, S., Wong, S.H., Tabares, A., Baer, D. and Schneider, T.
Disturbances in the composition of plasma lipoproteins during gram-negative sepsis in the rat (1124) 233
Lanzotti, V., see Manca, M.C. (1124) 249
Lichtenberg, D., see Meyuhas, D. (1124) 223
Lombardo, D., see Gjellesvik, D.R. (1124) 123
Lopez, R.A., see Slomiany, B.L. (1124) 171
Lünsdorf, H., see Sztajer, H. (1124) 253

Manca, M.C., Nicolaus, B., Lanzotti, V., Trincone, A., Gambacorta, A., Peter-Katalinic, J., Egge, H., Huber, R. and Stetter, K.O.
Glycolipids from *Thermotoga maritima*, a hyperthermophilic microorganism belonging to *Bacteria* domain (1124) 249
Månsson, J.-E., see Miller-Podraza, H. (1124) 45
Marchesini, S., see Monti, E. (1124) 80
Matsuo, R., see Ishidate, K. (1124) 36
Matsuzawa, Y., see Shimomura, I. (1124) 112
Mauleón, D., see Cabré, F. (1124) 297
McMaster, C.R. and Choy, P.C.
Newly imported ethanolamine is preferentially utilized for phosphatidylethanolamine biosynthesis in the hamster heart (1124) 13
Menge, U., see Sztajer, H. (1124) 253
Meyuhas, D., Yedgar, S., Rotenberg, M., Reisfeld, N. and Lichtenberg, D.
The use of C_6-NBD-PC for assaying phospholipase A_2-activity: scope and limitations (1124) 223
Micklus, M.J., Greig, N.H., Tung, J. and Rapoport, S.I.
Organ distribution of liposomal formulations following intracarotid infusion in rats (1124) 7
Miller-Podraza, H., Månsson, J.-E. and Svennerholm, L.
Isolation of complex gangliosides from human brain (1124) 45
Mioskowski, C., see Weissbart, D. (1124) 135
Monti, E., Preti, A., Novati, A., Aleo, M.F., Clemente, M.L. and Marchesini, S.
Uptake and metabolism of a fluorescent sulfatide analogue in cultured skin fibroblasts (1124) 80
Mookerjea, S., see Randell, E. (1124) 273
Mortensen, P.B.
Formation and degradation of dicarboxylic acids in relation to alterations in fatty acid oxidation in rats (1124) 71
Mulye, H., see Randell, E. (1124) 273
Murakami, M., Kudo, I. and Inoue, K.
Change in phospholipid composition of mouse bone marrow-derived mast cells during cultivation with fibroblasts (1124) 17

Nagpurkar, A., see Randell, E. (1124) 273
Nakazawa, Y., see Ishidate, K. (1124) 36
Nenci, G.G., see Stasi, M. (1124) 279
Newnham, H.H., see Clay, M.A. (1124) 52
Nicolaus, B., see Manca, M.C. (1124) 249
Novati, A., see Monti, E. (1124) 80

Ohki, S., see Arnold, K. (1124) 88
Oliw, E.H., see Brodowsky, I.D. (1124) 59
Orly, J., see Van Haren, L. (1124) 288
Ossendorp, B.C., see Van Haren, L. (1124) 288

Palmer, F.B.S.C., see Sidhu, H.S. (1124) 29
Park, Y.S. and Huang, L.
Cryoprotective activity of synthetic glycophospholipids and their interactions with trehalose (1124) 241
Pascal, G.A., see Bourre, J.-M.E. (1124) 119
Peter-Katalinic, J., see Manca, M.C. (1124) 249
Pflieger, P., see Weissbart, D. (1124) 135
Piciotti, M.J., see Bourre, J.-M.E. (1124) 119
Piotrowski, E., see Slomiany, B.L. (1124) 171
Porcellati, S., see Stasi, M. (1124) 279
Preti, A., see Monti, E. (1124) 80

Quero, E., see Stasi, M. (1124) 279
Quinn, P. and Allan, D.
Two separate pools of sphingomyelin in BHK cells (1124) 95

Randell, E., Mulye, H., Mookerjea, S. and Nagpurkar, A.
Evidence for phosphatidylcholine hydrolysis by phospholipase C in rat platelets (1124) 273
Rapoport, S.I., see Micklus, M.J. (1124) 7
Rastogi, S.A.R., see Sidhu, H.S. (1124) 29
Reisfeld, N., see Meyuhas, D. (1124) 223
Rommerts, F.F.G., see Van Haren, L. (1124) 288
Rossi, M.A., see Kiss, Z. (1124) 300
Rotenberg, M., see Meyuhas, D. (1124) 223
Rowley, A.F., see Hampson, A.J. (1124) 143

Salaün, J.-P., see Weissbart, D. (1124) 135
Schmid, R., see Sztajer, H. (1124) 253
Schneider, T., see Lanza-Jacoby, S. (1124) 233
Senda, M., see Kondo, T. (1124) 1
Sengupta, S., see Slomiany, B.L. (1124) 171
Shimomura, I., Tokunaga, K., Jiao, S., Funahashi, T., Keno, Y., Kobatake, T., Kotani, K., Suzuki, H., Yamamoto, T., Tarui, S. and Matsuzawa, Y.
Marked enhancement of acyl-CoA synthetase activity and mRNA, paralleled to lipoprotein lipase mRNA, in adipose tissues of Zucker obese rats (fa/fa) (1124) 112
Sidhu, H.S., Rastogi, S.A.R., Byers, D.M., Cook, H.W., Palmer, F.B.S.C. and Spence, M.W.
Cultured fibroblasts from patients with Niemann-Pick disease type C and type D exhibit distinct defects in cholesterol esterification (1124) 29
Sirtori, C.R., see Calabresi, L. (1124) 195
Slomiany, A., see Slomiany, B.L. (1124) 171
Slomiany, B.L., Sengupta, S., Piotrowski, E., Lopez, R.A. and Slomiany, A.
Role of adrenergic and cholinergic mediators in salivary phospholipids secretion (1124) 171
Slotte, J.P.
Cholesterol oxidase susceptibility of cholesterol and 5-androsten-3β-ol in pure sterol monolayers and in mixed monolayers containing 1-palmitoyl-2-oleoyl-*sn*-glycero-3-phosphocholine (1124) 23
Smith, Z.L., see Blank, M.L. (1124) 262
Snyder, F., see Blank, M.L. (1124) 262
Spence, M.W., see Sidhu, H.S. (1124) 29
Stasi, M., Gresele, P., Porcellati, S., Quero, E., Nenci, G.G. and Goracci, G.

Activation of phospholipase A_2 and β-thromboglobulin release in human platelets: comparative effects of thrombin and fluoroaluminate stimulation (1124) 279
Steadman, R., see Hampson, A.J. (1124) 143
Stetter, K.O., see Manca, M.C. (1124) 249
Stocco, D.M., see Van Haren, L. (1124) 288
Sugano, M., see Ide, T. (1124) 163
Suzuki, H., see Shimomura, I. (1124) 112
Svennerholm, L., see Miller-Podraza, H. (1124) 45
Sztajer, H., Lünsdorf, H., Erdmann, H., Menge, U. and Schmid, R. Purification and properties of lipase from *Penicillium simplicissimum* (1124) 253

Tabares, A., see Lanza-Jacoby, S. (1124) 233
Tarui, S., see Shimomura, I. (1124) 112
Teerds, K.J., see Van Haren, L. (1124) 288
Ten Brink, H.J., see Wanders, R.J.A. (1124) 199
Tokunaga, K., see Shimomura, I. (1124) 112
Trincone, A., see Manca, M.C. (1124) 249
Tung, J., see Micklus, M.J. (1124) 7

Van den Berg, L., Franken, P.A., Verheij, H.M., Dijkman, R. and De Haas, G.H.
Competitive inhibition of lipolytic enzymes. VI. Inhibition of two human phospholipases A_2 by acylamino phospholipid analogues (1124) 66
Van der Horst, D.J., see Demel, R.A. (1124) 151
Van Doorn, J.M., see Demel, R.A. (1124) 151
Van Haren, L., Teerds, K.J., Ossendorp, B.C., Van Heusden, G.P.H., Orly, J., Stocco, D.M., Wirtz, K.W.A. and Rommerts, F.F.G.
Sterol carrier protein 2 (non-specific lipid transfer protein) is localized in membranous fractions of Leydig cells and Sertoli cells but not in germ cells (1124) 288
Van Heusden, G.P.H., see Van Haren, L. (1124) 288
Verheij, H.M., see Van den Berg, L. (1124) 66

Waku, K.
Origins and fates of fatty acyl-CoA esters (1124) 101
Walther, B.T., see Gjellesvik, D.R. (1124) 123
Wanders, R.J.A., Denis, S., Jakobs, C. and Ten Brink, H.J.
Identification of pristanoyl-CoA oxidase as a distinct, clofibrate non-inducible enzyme in rat liver peroxisomes (1124) 199
Weissbart, D., Salaün, J.-P., Durst, F., Pflieger, P. and Mioskowski, C.
Regioselectivity of a plant lauric acid omega hydroxylase. Omega hydroxylation of *cis* and *trans* unsaturated lauric acid analogs and epoxygenation of the terminal olefin by plant cytochrome *P*-450 (1124) 135
Wirtz, K.W.A., see Van Haren, L. (1124) 288
Wong, S.H., see Lanza-Jacoby, S. (1124) 233

Yamamoto, T., see Shimomura, I. (1124) 112
Yedgar, S., see Meyuhas, D. (1124) 223